



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE PRODUCT AND MANUFACTURER

### EASY PASS CLEANER

**Manufacturer Name & Address:**

Arcal Chemicals, Inc.  
223 West Hampton Avenue  
Capitol Heights, MD 20743

**General Information:**

(Tel) 301-336-9300  
(Fax) 301-336-6597

**Emergency CHEMTREC:**

In case of chemical emergencies  
800-424-9300 (within USA)  
703-527-3887 (outside of USA)

---

## 2. HAZARDS IDENTIFICATION

Does not contain known carcinogens.

---

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

<i>Hazardous Component</i>	<i>CAS #</i>	<i>Conc.</i>	<i>ACGIH TWA</i>	<i>OSHA PEL</i>
Citric acid	77-92-9	<10%		
Isopropanol	67-63-0	<2.5%	400mL/m <sup>3</sup>	

---

## 4. FIRST AID MEASURES

**Eye contact:** Flush with clean water for 15 minutes or until irritation subsides. If irritation persists, seek medical advice.

**Inhalation of mist:** Move the exposed person to fresh air. Administer oxygen or begin resuscitation if necessary.

**Skin contact:** Remove contaminated clothing, then wash skin with soap and water and launder clothing before reuse.

**Ingestion:** In case of this unlikely event, do not induce vomiting (to avoid getting material into the lungs). Take antacids and obtain medical attention.

---

## 5. FIRE-FIGHTING MEASURES

**NFPA FIRE HAZARDS:**

**HEALTH**  
1 (slight)

**FLAMMABILITY**  
0 (insignificant)

**REACTIVITY**  
0 (insignificant)

---

## 6. ACCIDENTAL RELEASE MEASURES

In case of spill neutralize with sodium bicarbonate until the bubbling stops, then flush with water

---

## 7. HANDLING AND STORAGE

Keep at room temperature to minimize alcohol odor. Avoid use in enclosed spaces with limited to no ventilation.

---

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Splash-proof safety goggles and chemically resistant gloves (without tears, pinholes or other signs of wear) are highly recommended to protect personnel.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Liquid, viscous, somewhat opaque

**Odor:** Very mild alcoholic smell

**Density:** 1.02

**Boiling point:** ~ 215° F

**Volatile Organic Content (VOC):** <25 g/L

**Solubility in water:** Complete

**Flash point:** >200° F (calculated)

---

## 10. STABILITY AND REACTIVITY

Product is stable. It is reactive toward active metals such as iron, zinc and aluminum. Product can generate hydrogen gas.

---

## 11. TOXICOLOGICAL INFORMATION

N/A

---

## 12. ECOLOGICAL INFORMATION

Do not allow large quantities of undiluted liquid product to reach ground water, water course or sewer.

---

## 13. DISPOSAL CONSIDERATIONS

Do not allow product to contaminate groundwater or streams which contain aquatic life. Dispose material in accordance with local, state and federal regulations.

---

## 14. TRANSPORT INFORMATION

Not regulated for transport.

---

## 15. REGULATIONS

TSCA: All ingredients are listed.

---

## 16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.